

Industrial PC Platform

Openness meets Automation Control



Industrial automation

Elincom Group

European Union: www.elinco.eu

Russia: www.elinc.ru

OMRON 3

Industrial PC

Powerful. Tough. Future proof.

Powerful, reliable, scalable - and tough as they come

Our NY Industrial PC has been designed from first principles to be powerful, reliable and scalable, making it ideally suited to visualization, data handling, measuring and controlling. We've simplified the design and build to eliminate faults caused by complexity and, with other unique design features, to maximize uptime and reduce costs. The future will be IT driven: Omron's IPC platform will make you part of it.

Simplicity improves reliability

Unnecessary complexity causes problems, so we've eliminated it totally, to improve reliability, maximize performance.

- No internal cables
- · No complex heatpipes
- Structurally uniform mechanics to enable future expansion

Active cooling and air-flow

isolated from the electronics

- \cdot Reduced assembly, maintenance and labor costs
- · Rock-solid architecture. Die-cast aluminum case



• Up to 8 GB DDR3L RAM

· Unique heatsink effectiveness

· RoHS Directive (2002/95/EC), EU directives

· Intel® HD Graphics

Industrial Panel PC: very stylish...

Our industrial-quality touchscreen panel PC's and monitors enable operator and maintenance engineer to interact more effectively with the machine. The touchscreen controller can detect nonstandard actions such as false touches, palm rejection, water and cleaning even if the user is wearing gloves.*1





A few details...

- 12.1 & 15.4 Inch industrial display
- Multi-touch, using the latest projected capacitive technology
- · False touch detection
- · Glove operation*1
- Easy built-in supportive mounting

*1. When using gloves, ensure to use gloves that are functional with this touchscree

BOOK-MOUNTING

*2. Industrial Monitor won the iF Design Award 2016. The iF Product design Award, presented by Hannover-based International Forum Design GmbH, is one of the world's most prestigious design awards.

WALL-MOUNTING

Industrial PC IPC Machine Controller

Perfect fusion: Sysmac machine control and IT technology

Designed specifically for machine usage, making them innovative yet reliable, the IPC Machine Controller combines the precision and utility of the Sysmac platform with the versatility and range of Windows programs. The two platforms operate simultaneously but separately, so if Windows is down, the machine just keeps on working. As a result, engineers become unstoppable - empowered to explore manufacturing innovation by leveraging big data, NUI (Natural User Interface) and IoT (Internet of Things) initiatives, all without compromising proven PLC reliability and robustness.

Industrial PC

- Fourth-generation Intel® Core™ i7; Four core/8 threads
- · Windows Embedded Standard 7
- · Open operating system enables use of own software
- Ethernet port for access to your IT systems

Machine Controller

- · Sysmac Machine control inside
- 500 μs system cycle time
- 16 to 64 axes of motion control
- EtherNet/IP port for machine-to-machine, HMI communication
- EtherCAT port for up to 192 synchronized
- Safety over EtherCAT FSoE






Sysmac Studio

Integrated Development Environment

- · A single tool for logic sequence, motion, safety, robotics, vision, HMI and Database connection
- Open standard IEC 61131-3
- Sysmac Library to optimize engineering time and machine availability






The beating heart of the **IPC Machine Controller**

Our challenge was to use Sysmac machine control in combination with an open operating system like Windows. Normally it would be done using full virtualization, but this would influence the machine control, so it wasn't acceptable to us. Instead, we use partitioning, so that both operating systems can work independently: if Windows is down, the machine is not affected.





Sysmac Integrated Platform



Continuous operation: productivity, efficiency, safety

- · Vertical integration delivers production data from manufacturing process directly to IT systems
- · Data management enables machine data to be recorded, stored and analyzed to improve productivity
- EtherCAT connectivity simplifies installation of production modules and safety devices





	INDUSTRIAL PC PLATFORM			INDUSTRIAL PC PLATFORM		
	The state of the s			Complete Services		
Product name	Industrial PC			IPC Machine Controller		
Туре	Industrial Box PC	Industrial Panel PC		Industrial Box PC	Industrial Panel PC	
Model	NYB	NYP		NY51□-1	NY53□-1	
	Compact design that offers flexibility, expandability and easy maintenance for applications in factory automation environments	Combines the functionality of the Industrial Box PC and Industrial Monitor		Two operating systems: Windows and Real-Time OS		
Operating system	Windows Embedded Standard 7 - 32 bit Windows Embedded Standard 7 - 64 bit			Windows Embedded Standard 7 - 64 bit *		
Function module	ıle —			Machine Automation Control Software		
Number of axes	axes —			16, 32, 64		
	CPU type Intel® Core™ i7-4700EQ Processor 4th generation CPU with Fan Unit for active cooling Intel® Core™ i5-4300U Processor 4th generation CPU with fanless cooling Intel® Celeron® 2980U Processor 4th generation CPU with fanless cooling			Intel® Core™ 17–4700EQ Processor 4th generation CPU with Fan Unit for active cooling		
RAM memory (non-ECC type)	RAM memory (non-ECC type) 2 GB, 4 GB, 8 GB			8 GB		
Storage	Storage HDD, SSD, SD memory card			HDD, SSD, SD memory card		
Display size	_	12.1 inches, 15.4 inches		_	12.1 inches, 15.4 inches	
Built-in ports	EthernetUSB 2.0/3.0DVI			EtherNet/IP EtherCAT USB 2.0/3.0 DVI		
Interface option	Interface option RS-232C, DVI-D			RS-232C, DVI-D		
Expansion slots	Expansion slots 1 PCle slot			1 PCle slot		

INDUSTRIAL PC PLATFORM





Product name	Industrial Monitor		
Model	NYM12	NYM15	
Description	Display and touch interface for the Industrial PC Platform		
Display device	TFT LCD		
Screen size	12.1 inches	15.4 inches	
Resolution	Up to 1,280 x 800 pixels at 60 Hz		
Colors	16,770,000 colors		
Connectors	• 1Power Connector		
	• 1 DVI-D Connector		
	2 USB Type-A Connector		
	• 1 USB Type-B Connector		
Allowable power supply voltage range	19.2 to 28.8 VDC		

$\mbox{\ensuremath{^{\star}}}$ For the 32 bit version, consult your OMRON sales representative.

UNINTERRUPTIBLE POWER SUPPLY (UPS)



Model		S8BA*			
Capacity		120 W	240 W		
Input voltage		24VDC			
Output voltage	Normal operation	Output of input voltage as-is			
	Backup operation	24VDC±5%			
Backup time (25°C, initial characteristics)		6 min. (120 W)	6 min. (240 W)		
I/O signal		Yes (RJ45)			
Dimensions (W \times D \times H mm)		94×100×100	148×100×100		
Weight of unit		Approx. 0.8 kg	Approx. 1.3 kg		
* Revision number 04 or higher					

^{*} Revision number 04 or higher



Would you like to know more?

OMRON EUROPE

2 +31 (0) 23 568 13 00

industrial.omron.eu

Sales & Support Offices

Austria

Tel: +43 (0) 2236 377 800 industrial.omron.at

Belgium

Tel: +32 (0) 2 466 24 80 industrial.omron.be

Czech Republic

Tel: +420 234 602 602 industrial.omron.cz

Denmark

Tel: +45 43 44 00 11 industrial.omron.dk

Finland

Tel: +358 (0) 207 464 200 industrial.omron.fi

France

Tel: +33 (0) 1 56 63 70 00 industrial.omron.fr

Germany

Tel: +49 (0) 2173 680 00 industrial.omron.de

Hungary

Tel: +36 1 399 30 50 industrial.omron.hu

Italy

Tel: +39 02 326 81 industrial.omron.it

Netherlands

Tel: +31 (0) 23 568 11 00 industrial.omron.nl

Norway

Tel: +47 22 65 75 00 industrial.omron.no

Poland

Tel: +48 22 458 66 66 industrial.omron.pl

Portugal

Tel: +351 21 942 94 00 industrial.omron.pt

Russia

Tel: +7 495 648 94 50 industrial.omron.ru

South Africa

Tel: +27 (0)11 579 2600 industrial.omron.co.za

Spain

Tel: +34 902 100 221 industrial.omron.es

Swader

Tel: +46 (0) 8 632 35 00 industrial.omron.se

Switzerland

Tel: +41 (0) 41 748 13 13 industrial.omron.ch

Turkey

Tel: +90 (216) 556 51 30 industrial.omron.com.tr

United Kingdom

Tel: +44 (0) 1908 258 258 industrial.omron.co.uk

More Omron representatives

industrial.omron.eu